



Arthur H. Sarkissian  
P.O. Box 763  
New York, New York 10268

July 2, 2003

RECEIVED

JUL 07 2003

Technology Center 2600

As per my conversation with Mr. Bipin Shalwala, SPE to the Primary Examiner for application 09/835,884, Lun-yi Lao, this afternoon, I am hereby enclosing and sending via US POST OFFICE Express Mail ( NUMBER ER 249 815 443 US )

An additional copy of my After Final Reply. A copy was faxed yesterday July 1, 2003 to fax number (703) 746-8145, the number provided by Primary Examiner. (Enclosed are copies of the three confirmations of said fax which was faxed in three parts.) Yet another copy was sent via courier Federal Express on July 1, 2003. Today I also faxed a 25 page fax transmission to (703) 746-8145 containing the "clean Copy" of the "Description of the Illustrated Embodiment", the copy without corrections showing, of the specification as per the request by the Primary Examiner LAO. (A copy of the confirmation for this fax is also included herein.)

Arthur H. Sarkissian

09/835,884



CERTIFICATE OF MAILING

July 2, 2003

RECEIVED

JUL 07 2003

Technology Center 2600

I HEREBY CERTIFY THAT THIS  
CORRESPONDANCE IS BEING DEPOSITED  
WITH THE US POST OFFICE WITH  
SUFFICIENT POSTAGE AS EXPRESS MAIL  
IN AN ENVELOPE ADDRESSED TO:

MAIL STOP AFTER FINAL

HONORABLE COMMISSIONER OF PATENTS.

P.O. BOX 1450

ALEXANDRIA, VA 22313-1450  
EXPRESS MAIL MAILING LABEL # ER 2498154434S  
ON JULY 2, 2003.

ARTHUR H. SARKISSIAN

09/835, 884.

# Transmission Report

Date/Time  
Local ID  
Local Name  
Company Logo

7- 1-03: 6:13PM  
2123028219  
ABCNY

This document was confirmed.  
(reduced sample and details below)  
Document Size Letter-S

Arthur H. SARKISSIAN  
Appl. No. 09/835,884

Kindly amend lines 22 on page 18 through line 3 on page 19 of the Description, as would be apparent to those skilled in the art, to read as follows:

To the left of line 287 the illustration shows the touch sensing ~~circuitry-as it embeds display-key-areas~~ of the present embodiment of the touch key-surround module inputting device. With regard to the depiction of key-surround module 285, depicted middle key areas 288, 289, 390 and 291 are completely embedded with single circular areas of touch ~~circuitry~~.

Kindly amend lines 10-18 on page 19 of the Description, as would be apparent to those skilled in the art, to read as follows:

Below said touch module 285 is nesting module 305 which has as its middle key a cursor navigating touch key 306 having a circular area of touch sensing ~~circuitry-which can detect movement of the user's touch or changes in placement of touch~~. This middle key has a first key-surround key 307 which is circular and has four areas of touch ~~circuitry~~. A second display key-surround key is divided into five areas of touch sensitive ~~circuitry-and which surrounds said first key-surround key completely~~. Below and centered between display modules 285 and 286 is depicted touch key module 309 having one area which is embedded with one area of touch sensing ~~circuitry~~.

Kindly amend lines 20-21 of page 19 of the Description, as would be apparent to those skilled in the art, to read as follows:

-88-

Total Pages Scanned : 80 Total Pages Confirmed : 80

No.	Doc	Remote Station	Start Time	Duration	Pages	Mode	Comments	Results
1	923	17037468145	7- 1-03; 5:41PM	32'26"	80/ 80	EC		CP 14.4

Notes :  
EC: Error Correct RE: Resend PD: Polled by Remote MB: Receive to Mailbox  
BC: Broadcast Send MP: Multi-Poll PG: Polling a Remote PI: Power Interruption  
CP: Completed AM: Receive to Memory DR: Document Removed TM: Terminated by user  
HS: Host Scan HP: Host Print FO: Forced Output WT: Waiting Transfer  
HF: Host Fax HR: Host Receive FM: Forward Mailbox Doc. WS: Waiting Send

# Transmission Report

Date/Time  
Local ID  
Local Name  
Company Logo

7- 1-03: 5:41PM  
2123028219  
ABCNY

This document was confirmed.  
(reduced sample and details below)  
Document Size Letter-S

Arthur H. SARKISSIAN  
Appl. No. 09/835,884

keys and key-surround keys;

wherein said plurality of middle keys nests within said plurality of key-surround keys;

wherein said plurality of key-surround key comprises a stationary, substantially washer-shaped, substantially circular data entry key;

wherein said plurality of key-surround key is touchable in a plurality of touchable places operative to actuate at least one of a plurality of actuating contact points; and

wherein actuation of one of said plurality of actuating contact points outputs a data value to the computer.

72. (Amended) A touch sensitive touch screen device for inputting data to a computer according to claim 71 wherein said display has means to detect touch in a plurality of places on the surface of said display.

73. (Amended) A touch sensitive touch screen device for inputting data to a computer according to claim 71 also comprising of a touch panel which rests above said display, and, having a means to detect touch and the place of touch in relation to the depiction of said display.

74. (Amended) The key-surround data input module keyboard inputting device of claim 20 wherein said key-surround data input module keyboard inputting device comprises:

-49-

Total Pages Scanned : 39 Total Pages Confirmed : 39

No.	Doc	Remote Station	Start Time	Duration	Pages	Mode	Comments	Results
1	922	17037468145	7- 1-03: 5:27PM	13'43"	39/ 39	EC		CP 14.4

## Notes :

EC: Error Correct  
BC: Broadcast Send  
CP: Completed  
HS: Host Scan  
HF: Host Fax

RE: Resend  
MP: Multi-Poll  
RM: Receive to Memory  
HP: Host Print  
HR: Host Receive

PD: Polled by Remote  
PG: Polling a Remote  
DR: Document Removed  
FO: Forced Output  
FM: Forward Mailbox Doc.

MB: Receive to Mailbox  
PI: Power Interruption  
TM: Terminated by user  
WT: Waiting Transfer  
WS: Waiting Send

# Transmission Report

Date/Time  
Local ID  
Local Name  
Company Logo

7- 1-03; 5:27PM  
2123028219  
ABCNY

This document was confirmed.  
(reduced sample and details below)  
Document Size Letter-S

JUNE 1, 2003

FAX TO: LUN-YI LAO  
EXAMINER  
USPTO  
(703) 746-8145

FAX FROM: ARTHUR SARKISSIAN  
09/835,884

168 PAGE FAX INCLUDING THIS PAGE

Total Pages Scanned : 49 Total Pages Confirmed : 49

No.	Doc	Remote Station	Start Time	Duration	Pages	Mode	Comments	Results
1	920	17037468145	7- 1-03; 5:10PM	16'29"	49/ 49	EC		CP 14.4

## Notes :

EC: Error Correct  
BC: Broadcast Send  
CP: Completed  
HS: Host Scan  
HF: Host Fax

RE: Resend  
MP: Multi-Poll  
RM: Receive to Memory  
HP: Host Print  
HR: Host Receive

PD: Polled by Remote  
PG: Polling a Remote  
DR: Document Removed  
FO: Forced Output  
FM: Forward Mailbox Doc.

MB: Receive to Mailbox  
PI: Power Interruption  
TM: Terminated by user  
WT: Waiting Transfer  
WS: Waiting Send